

WHO/SEARO GUIDELINES FOR
THE CLINICAL MANAGEMENT
OF
SNAKE BITES
IN THE SOUTHEAST ASIAN REGION

Written and edited by
David A Warrell
with contributions by an international panel of experts



World Health Organization
Regional Office for South-East Asia
New Delhi



SEAMEO TROPMED Regional Centre for
Tropical Medicine, Bangkok
Thailand

Supplement to the Southeast Asian Journal of Tropical Medicine and Public Health
Volume 30 Supplement 1, 1999

ISSN : 0038 - 3619

World Health Organization 1999. All rights reserved.

The authors alone are responsible for the views expressed in this publication.

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the SEAMEO TROPED Regional Center for Tropical Medicine, Bangkok Thailand, and the Secretariat of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries.

Published by

*SEAMEO Regional Tropical Medicine and Public Health Network, Bangkok,
Thailand, 1999*

Printed by

T W System Co, Ltd (Thailand)

THE SOUTHEAST ASIAN JOURNAL OF TROPICAL MEDICINE
AND PUBLIC HEALTH

Volume 30

Supplement 1

1999

CONTENTS

	Page
1 Preface	1
1.1 Names and addresses of the international panel of experts who contributed to the Guidelines	3
2 Introduction	5
2.1 Venomous snakes of Southeast Asia	5
2.1.1 The venom apparatus	5
2.1.2 Classification	5
2.1.3 How to identify venomous snakes	19
2.2 Snake venoms	19
2.2.1 Composition of venom	19
2.2.2 Quantity of venom injected at a bite	20
2.3 How common are snake bites?	21
2.4 How do snake bites happen?	23
2.5 How can snake bites be avoided?	23
3 Symptoms and signs of snake bite	24
3.1 When venom has <i>not</i> been injected	24
3.2 When venom <i>has</i> been injected	25
3.2.1 Early symptoms and signs	25
3.3 Clinical pattern of envenoming by snakes in Southeast Asia	25
3.3.1 Local symptoms and signs in the bitten part	25
3.3.2 Generalised (systemic) symptoms and signs	29
3.4 Clinical syndromes of snake bite in Southeast Asia	33
3.4.1 Limitations of the syndromic approach	33
3.5 Long term complications (sequelae) of snake bite	34
4 Symptoms and signs of cobra-spit ophthalmia	35
5 Management of snake bites in Southeast Asia	36
5.1 First-aid treatment	36
5.1.1 The special danger of rapidly developing paralytic envenoming after bites by some elapid snakes : use of pressure-immobilisation	38
5.1.2 Tight (arterial) tourniquets are not recommended!	39
5.1.3 Viper and cobra bites	39

5.2	Transport to hospital	40
5.3	Treatment in the dispensary or hospital	40
5.3.1	Rapid clinical assessment and resuscitation	40
5.4	Detailed clinical assessment and species diagnosis	40
5.4.1	History	40
5.4.2	Physical examination	41
5.4.2.1	Examination of the bitten part	42
5.4.2.2	General examination	42
5.4.2.3	Neurotoxic envenoming	42
5.4.2.4	Bulbar and respiratory paralysis	42
5.4.2.5	Generalised rhabdomyolysis	44
5.4.2.6	Examination of pregnant women	44
5.4.3	Species diagnosis	44
5.5	Investigations/laboratory tests	45
5.5.1	20 minute whole blood clotting test (20WBCT)	45
5.5.2	Other tests	45
5.6	Antivenom treatment	47
5.6.1	What is antivenom?	47
5.6.2	Indications for antivenom treatment	47
5.6.3	Inappropriate use of antivenom	49
5.6.4	How long after the bite can antivenom be expected to be effective?	49
5.6.5	Prediction of antivenom reactions	49
5.6.6	Contraindications to antivenom	49
5.6.6.1	Prevention of antivenom reactions	49
5.6.7	Selection of antivenom	50
5.6.8	Administration of antivenom	50
5.6.8.1	Local administration of antivenom at the site of the bite is not recommended!	51
5.6.8.2	Intramuscular injection of antivenom	51
5.6.9	Dose of antivenom	52
5.6.10	Antivenom reactions	52
5.6.11	Treatment of early anaphylactic and pyrogenic antivenom reactions	53
5.6.11.1	Addition treatment	54
5.6.12	Treatment of late (serum sickness) reactions	54
5.6.13	Observation of the response to antivenom	54
5.6.14	Recurrence of systemic envenoming	55
5.6.15	Criteria for repeating the initial dose of antivenom	55
5.6.16	Conservative treatment when no antivenom is available	56

5.7	Supportive/ancillary treatment	56
5.7.1	Dangers of venepuncture in patients with haemostatic abnormalities	57
5.7.2	Neurotoxic envenoming	57
5.7.2.1	Trial of anticholinesterase	58
5.7.3	Hypotension and shock	59
5.7.4	Oliguria and renal failure	60
5.7.4.1	Oliguric phase of renal failure	60
5.7.4.2	Prevention of renal damage in patients with myoglobinuria or haemoglobinuria	63
5.7.4.3	Diuretic phase of renal failure	63
5.7.4.4	Renal recovery phase	63
5.7.4.5	Persisting renal dysfunction	63
5.7.5	Haemostatic disturbances	63
5.8	Treatment of the bitten part	64
5.8.1	Bacterial infections	64
5.8.2	Necrosis (gangrene)	64
5.8.3	Compartment syndromes and fasciotomy	64
5.9	Rehabilitation	67
6	Management of cobra spit ophthalmia	67
7	Conclusions and main recommendations	67
8	Further reading	71
Annex 1	Algorithm 1 : Antivenom treatment of snake bite cases	76
Annex 2	Algorithm 2 : Differentiating major Asian snake species by clinical syndrome	77
Annex 3	Antivenoms for treating bites by Southeast Asian snakes	78
Annex 4	Measurement of central venous pressure	82
Annex 5	Measurement of intracompartmental pressure	84