

Appendix 2

References and sources

ACASIAN (Australian Centre for the Asian Spatial and Analysis Network), 1999.

Asian Development Bank, 1999.

Baimai V, Kijchalao U, Sawadwongporn P, Green C. Geographic distribution and biting behaviour of four species of the *Anopheles dirus* complex (Diptera: Culicidae) in Thailand. *Southeast Asian J Trop Med Public Health* 1988; 19: 151-61

Chen CM. Disease surveillance in China. *MMWR* 1992;41 (suppl):111-21 .

Chinese Academy of Preventive Medicine, Beijing, 1999.

Denis MB. Evolution de la chimioresistance de *Plasmodium falciparum* aux traitements antipaludiques au Cambodge 1991-1997. Doctorat en Medecine, Universite des Sciences de la Sante Faculte de Medecine, Phnom Penh, 1999.

Ejov MN. Current status of *P. falciparum* to antimalarial drugs with particular emphasis on monitoring the therapeutic efficacy of antimalarial drugs. WHO SEARO , 1999.

Gay F, Bustos D, Traore B, et al. *In vitro response of Plasmodium falciparum to atavone and correlation with other antimalarials: Comparison between African and Asian strains.* *Am J Trop Med Hyg* 1997;56:3 15-7.

Gay F, Bustos MDG, Diquet B, et al. Cross resistance between mefloquine and halofantrine. *Lancet* 1990;336:1262.

Harinasuta T, Bunnag D, Lasserre R. Quinine resistant falciparum malaria treated with mefloquine. *Southeast Asian J Trop Med Public Health* 1990;21:552-7.

Hu H. Factors influencing malaria endemicity in Yunnan Province, China. A pilot study of application of geographical information system in disease mapping. MSc Thesis, Mahidol University, Bangkok, 1998.

Hu H, Singhasivanon P, Salazar NP, et al. Factors influencing malaria endemicity in Yunnan Province, PR China (analysis of spatial patterns by GIS). *Southeast Asian J Trop Med Public Health* 1998;29:191-200.

Hospital for Tropical Diseases. Cited by White NJ in Manson's Tropical Diseases. Cook GC ed. 12th Ed. London: WB Saunders 1996:1124.

Indaratna K, Hutubessy R, Chupraphawan S, et al. Application of geographical information systems to co-analysis of disease and economic resources: dengue and malaria in Thailand. *Southeast Asian J Trop Med Public Health* 1998;29:669-84.

Indaratna K, Kidson C. Overview: Changing economic challenges in malaria control. *Southeast Asian J Trop Med Public Health* 1995;26:388-96.

Looareesuwan S, Olliari P, White NJ et al. Consensus recommendation on the treatment of malaria in Southeast Asia. *Southeast Asian J Trop Med Public Health* 1998;29:355-60.

MOPH Thailand, 1993.

MOPH Thailand, 1997.

National Economic and Social Development Board, Thailand.

National Research Council of Thailand, Remote Sensing Division, 1999.

Panyim S, Yasothornsrikul S, Baimai V. Species-specific DNA sequences from Anopheles Dirus complex - a potential for efficient identification of isomorphic species. In: Service W ed. Bosystematics of haematophagous insects. Systematics Association Special Volume. Oxford: Oxford University Press, 1988b;37:193202.

Panyim S, Yasothornsrikul S, Tungpradubkul S, et al. Identification of isomorphic malaria vectors using DNA probe. *Am J Trop Med Hyg* 1988a;38:47-9.

Phan VT, Tuy TQ, Hung LX, Ngo LV. Epidemiological characteristics of malaria in Vietnam 1992-1997. *Mekong Malaria Forum* 1998; 1:22-30.

Singhasivanon P, Thimasarn K, Yimsamran S, et al. Malaria in tree crop plantations in south-eastern and western provinces of Thailand. *Southeast Asian J Trop Med Public Health* 1999;30:309-14.

Schapira A, Beales PF, Halloran ME. Malaria: Living with drug resistance. *Parasitol Today* 1993;9:168-74.

Stern A. International population movements and public health in the Mekong region: an overview of some issues concerning mapping. *Southeast Asian J Trop Med Public Health* 1998;29:201-12.

Stern A, Crissman L. Maps of international borders between mainland Southeast Asian countries and background information concerning population movements at these borders. The Asian Research Center for Migration, Institute of Asian Studies, Chulalongkorn University, 1998.

Thimasarn K, Sirichaisinthop J, Chanyakhun P, Palananth C, Rooney W. A comparative study of artesunate and artemether in combination with mefloquine on multidrug resistant falciparum malaria in eastern Thailand. *Southeast Asian J Trop Med Public Health* 1997;28:465-71.

Thimasarn K, Sirichaisinthop J, Vijaykadga S et al. In vivo study of the response of Plasmodium falciparum to standard mefloquine/sulfadoxine/pyrimethamine (MSP) treatment among gem miners returning from Cambodia. *Southeast Asian J Trop Med Public Health* 1995; 16:204-12.

UNDP: Human Development Report, 1999.

Wernsdorfer WH, Chongsuphajaisiddhi T, Salazar NP. Special report: A symposium on containment of mefloquine-resistant falciparum malaria in Southeast Asia with special reference to border malaria. *Southeast Asian J Trop Med Public Health* 1994; 25 : 11-8 .

WHO: Report: Interregional meeting on malaria control with emphasis on drug resistance. Manila, Philippines, 1996.

Wilairatana P, Krudsood S, Buchahart K, Viriyajakul P, Treeprasertsuk S, Bussaratid V, Looareesuwan S. Research on new antimalarial drugs in Bangkok Hospital for Tropical Diseases. Int Congress of Parasitol Chiba, Japan, 1998: 157-64.

Yang HL, Liu DQ, Huang KG, Zhang CY. *In vitro* response of *Plasmosium falciparum* on the China-Vietnam border to nine antimalarials. *Southeast Asian J Trop Med Public Health* 1995;26:397-401.

Yang HL, Liu DQ, Huang KG, et al. *In vitro* sensitivity of *Plasmodium falciparum* to derivatives of artemisinin, pyronaridine and chloroquine in Yunnan. *Chin J Parasitol Parasit Dis* 1997; 1 5:292-6.

Yang HL, Liu DQ, Yang YM, et al. *In vitro* sensitivity of Plasmodium falciparum to eight antimalarials in China-Myanmar and China-Lao PDR border areas. *Southeast Asian J Trop Med Public Health* 1997; 28 :460-4.

Zaha AR. Vector bionomics in the epidemiology and control of malaria: Leading literature-general review 1970-1994. The WHO South-East Asia Region and The Western Pacific Region CTD, 1996.

SEAMEO TROPMED Network

The Southeast Asian Ministers of Education Organization (SEAMEO) is a chartered international organization for the promotion of cooperation programmes in education, science and culture. Member Countries are Brunei Darussalam, Cambodia, Indonesia, Lao People's Democratic Republic, Malaysia, Myanmar, the Philippines, Singapore, Thailand and Viet Nam. Associate Member countries are Australia, Canada, France, Germany, New Zealand, and the Netherland

SEAMEO TROPMED Network is a regional cooperative network established in 1967 for education, training and research in tropical medicine and public health in Southeast Asia under the auspices SEAMEO. The mission of SEAMEO TROPMED Network is to promote health and prevent or control diseases, thus improving living conditions of people in Southeast Asia through relevant programmes and quality services. Specific mission is to develop the capacity of individuals and institutions in delivering quality healthcare. The Network operates through the Regional Centre for Community Nutrition in Indonesia; Regional Centre for Microbiology, Parasitology and Entomology in Malaysia; Regional Centre for Public Health in the Philippines and Regional Centre for Tropical Medicine in Thailand, thus ,maximize the resources and avoid duplication of programmes. SEAMEO TROPMED is unique insofar as no other similar organization exists in the developing world.

The SEMEO TROPMED Coordinating Office is hasted by the Faculty of Tropical Medicine, Mahidol University,
420/6 Rajvithi Road, Bangkok 10400, Thailand. Tel./ Fax: +662-2477721 or 6444331
E-mail:Tmseameo@diamond.mahidol.ac.th; Website: <http://www.seameo.org>

European Commission Regional Malaria Control Programme In Cambodia, Laos and Vietnam

Following requests for support from the Governments of Cambodia, Laos and Vietnam, the European Commission (EC-RMCP) has developed a regional programme on malaria control to support all three national programmes. This programme is expected to meet the actual and future requirements in accordance with the Common as well as special characters of the three countries in malaria control. The programme assists national health organizations in decreasing morbidity due to malaria by reinforcing capacities of national health systems through the acquisition of knowledge and development of managerial skills of malaria control workers.

The initial period of implementation of EC-RMCP is four years from September 1997 to August 2001 with an estimated budget of 29 million ECU (approximately 32 million USD).

The programme has linkages with the regional components of the WHO Roll Back Malaria initiative, Southeast Asian Ministers of Education Organization Regional Network in Tropical Medicine and Public Health (SEAMEO TROPMED Network) and Asian Collaborative Training Network for Malaria (ACTMalaria). Emphases is placed on consolidating efforts through inter-country collaboration in training, research, information exchange and networking.

Contact address:
Regional Co-ordinator
EC-Regional Malaria Control Programme
34 Hang Bai Street, Hanoi, Vietnam
Tel: (84-4) 934 1642
Fax: (84-4) 934 1641
E-mail: ec-rmcp@hn.vnn.vn; ec-rmcp@netnam.rog.vn

