

REFERENCES

- Barraud PJ. The fauna of British India, including Ceylon and Burma. Diptera. Vol. V. Family Culicidae. Tribes Megarhinini and Culicini. London: Taylor and Francis, 1934: 463 pp.
- Brug SL. Culiciden der Deutschen Limnologischen Sunda-Expedition. *Arc Hydrobiol* 1931; (suppl -Bd ix): 1-42.
- Delfinado MD, Hodges ER. Three new species of the genus *Tripteroides*, subgenus *Tripteroides* Giles (Diptera: Culicidae). *Proc Entomol Soc Wash* 1968; 70: 361-75.
- Dong X, Wang X. Descriptions of the female, larva and pupa of *Topomyia* (*Topomyia lindsayi* Thurman). *Entomotaxonomia* 1988; 10: 159-61.
- Dong X, Wang X, Lu B. A new species of *Topomyia* from Yunnan Province, China (Diptera: Culicidae). *Acta Zootax Sinica* 1995; 20: 484-6.
- Edwards FW. A synopsis of adult Oriental culicine (including megarhinine and sabethine) mosquitoes. *Indian J Med Res* 1922; 10: 430-75.
- Edwards FW. Mosquito notes. VI. *Bull Entomol Res* 1926; 17: 101-31.
- Harbach RE. Pictorial keys to the genera of mosquitoes, subgenera of *Culex* and the species of *Culex* (*Culex*) occurring in southwestern Asia and Egypt, with a note on the subgeneric placement of *Culex deserticola* (Diptera: Culicidae). *Mosq Syst* 1985; 17: 83-107.
- Harbach RE, Huong VD, Kitching IJ. Systematics of *Kimia*, a new genus of Sabethini (Diptera: Culicidae) in the Oriental Region. *Proc Entomol Soc Wash* 2007; 109: 102-20.
- Harbach RE, Kitching J. Phylogeny and classification of the Culicidae (Diptera). *Syst Entomol* 1998; 23: 327-70.
- Harbach RE, Knight KL. Corrections and additions to Taxonomists' Glossary of Mosquito Anatomy. *Mosq Syst* 1982; 13: 201-17.
- Harbach RE, Knight KL. Taxonomists' glossary of mosquito anatomy. Marlton, NJ: Plexus Publishing, 1980: 415 pp.
- Harrison BA, Rattanarithikul R, Peyton EL, Mongkolpanya K. Taxonomic changes, revised occurrence records and notes on the Culicidae of Thailand and neighboring countries. *Mosq Syst* 1991 (1990); 22: 196-227.
- Lane CJ. The pupae of species of *Malaya* Leicester from Asia and Australasia (Diptera: Culicidae). *Proc Entomol Soc Wash* 1972; 74: 411-14, illus.

- Klein JM. Deux nouvelles especies de *Topomyia* du Cambodge (Diptera, Culicidae). *Cah ORSTOM Ser Entomol Med Parasitol* 1977; 15: 123-9.
- Mattingly PF. Medical entomology studies. XIV. The subgenera *Rachionotomyia*, *Tricholeptomyia* and *Tripteroides* (Mabinii Group) of genus *Tripteroides* in the Oriental Region (Diptera: Culicidae). *Contrib Am Entomol Inst (Ann Arbor)* 1981; 17: 1-147.
- Mitchell A, Sperling FAH, Hickey DA. Higher-level phylogeny of mosquitoes (Diptera: Culicidae): mtDNA data support a derived placement for *Toxorhynchites*. *Insect Syst Evol* 2002; 33: 163-74.
- Miyagi I, Toma T. A new species of *Topomyia (Suaymyia) suchariti* from Thailand (Diptera: Culicidae). *Mosq Syst* 1989; 21: 16-24.
- Miyagi I, Toma T, Cabrera BD. Synonyms [sic] of *Topomyia rausai* with *Topomyia apsarae*, with description of the larva (Diptera: Culicidae). *Mosq Syst* 1983; 15: 111-6.
- Miyagi I, Toma T, Ramakrishna K, Ramalingam S. Studies on the genus *Topomyia*: 3. Redescription of *spathulirostris* and transfer to the subgenus *Suaymyia*. *Mosq Syst* 1989; 21: 40-9.
- Ramalingam S. A new species of *Topomyia* from Peninsular Malaysia (Diptera: Culicidae). *Mosq Syst* 1975; 7: 185-92.
- Ramalingam S. *Topomyia houghtoni* Feng, a new record in Malaysia and a redescription of the adult and immature stages. *Mosq Syst* 1983; 15: 33-40.
- Rattanarithikul R, Harbach RE, Harrison BA, Panthusiri P, Jones JW, Coleman RE. Illustrated keys to the mosquitoes of Thailand. II. Genera *Culex* and *Lutzia*. *Southeast Asian J Trop Med Public Health* 2005b; 36 (suppl. 2): 1-97.
- Rattanarithikul R, Harrison BA, Harbach RE, Panthusiri P, Coleman RE. Illustrated Keys to the mosquitoes of Thailand. IV. *Anopheles*. *Southeast Asian J Trop Med Public Health* 2006b; 37 (suppl. 2): 1-128.
- Rattanarithikul R, Harrison BA, Panthusiri P, Coleman RE. Illustrated keys to the mosquitoes of Thailand. I. Background; geographic distribution; lists of genera, subgenera, and species; and a key to the genera. *Southeast Asian J Trop Med Public Health* 2005a; 36 (suppl. 1): 1-80.
- Rattanarithikul R, Harrison BA, Panthusiri P, Peyton EL, Coleman RE. Illustrated keys to the mosquitoes of Thailand. III. Genera *Aedeomyia*, *Ficalbia*, *Mimomyia*, *Hodgesia*, *Coquillettidia*, *Mansonia*, and *Uranotaenia*. *Southeast Asian J Trop Med Public Health* 2006a; 37 (suppl. 1): 1-85.

- Reinert JF. Revised list of abbreviations for genera and subgenera of Culicidae (Diptera) and notes on generic and subgeneric changes. *J Am Mosq Control Assoc* 2001; 17: 51-5.
- Tanaka K, Mizusawa K, Saugstad ES. A revision of the adult and larval mosquitoes of Japan (including the Ryukyu Archipelago and the Ogasawara islands) and Korea (Diptera: Culicidae). *Contrib Am Entomol Inst (Ann Arbor)* 1979; 16: 1-987.
- Thurman DC, Thurman EHB. Report of the initial operation of a mosquito light trap in northern Thailand. *Mosq News* 1955; 15: 218-24.
- Thurman EHB. A contribution to a revision of the Culicidae of northern Thailand. *Univ Md Agric Exp Sta Bull* 1959; A-100: 1-177.
- Zavortink T. Contributions to the mosquito fauna of Southeast Asia. IX. The genus *Orthopodomyia* Theobald in Southeast Asia. *Contrib Am Entomol Inst (Ann Arbor)* 1971; 7: 1-37.
- Zavortink T. Mosquito studies (Diptera, Culicidae). VIII. A prodrome of the genus *Orthopodomyia*. *Contrib Am Entomol Inst (Ann Arbor)* 1968; 3: 1-221.

Table 1

Orthopodomyia, *Kimia*, *Malaya*, *Topomyia*, *Tripterooides*, and *Toxorhynchites* species and their distributions in Thailand and elsewhere.

SPECIES / SUBREGIONS	1	2	3	4	5	6	Oriental	Elsewhere
<i>Orthopodomyia</i>								
1. <i>albipes</i> Leicester, 1904	+	+	+	+	+		+	
2. <i>andamanensis</i> Barraud, 1934	+	+	+	+	+	+	+	
3. <i>anopheloides</i> (Giles, 1903)	+	+	+	+	+	+	+	
4. <i>siamensis</i> Zavortink, 1968				+			-	
5. <i>wilsoni</i> Macdonald, 1958		+	+				+	
<i>Kimia</i>								
6. <i>suchariti</i> (Miyagi and Toma, 1989)					+		?	
<i>Malaya</i>								
7. <i>genurostris</i> Leicester, 1908	+	+	+	+	+	+	+	+
8. <i>jacobsoni</i> (Edwards, 1930)	+	+	+	+	+	+	+	
<i>Topomyia (Suaymyia)</i>								
9. <i>apsarae</i> Klein, 1977		+		+			+	
10. <i>cristata</i> Thurman, 1959		+					-	
11. <i>houghtoni</i> Feng, 1941		+	+	+			+	
12. <i>leucotarsis</i> Thurman, 1959		+					-	
13. <i>pseudoleucotarsis</i> Thurman, 1959		+					-	
14. <i>houghtoni</i> species 1				+			-	
15. <i>houghtoni</i> species 2		+					-	
16. species near <i>pseudoleucotarsis</i>		+					-	
<i>Topomyia (Topomyia)</i>								
17. <i>aenea</i> Thurman, 1959		+					+	
18. <i>angkoris</i> Klein, 1977			+	+			+	
19. <i>argyropalis</i> Leicester, 1908		+	+	+			+	
20. <i>bifurcata</i> Dong, Wang, and Lu, 1995		+					+	?
21. <i>gracilis</i> Leicester, 1908		+	+	+	+		+	
22. <i>inclinata</i> Thurman, 1959		+	+	+			+	

Table 1 (continued).

SPECIES / SUBREGIONS	1	2	3	4	5	6	Oriental	Elsewhere
23. <i>lindsayi</i> Thurman, 1959	+						+	
24. <i>svastii</i> Thurman, 1959	+						-	
25. <i>tenuis</i> Leicester, 1922	+	+					+	
26. <i>tipuliformis</i> Leicester, 1908		?	+				+	
27. <i>unispinosa</i> Thurman, 1959	+						-	
28. <i>vijayae</i> Ramalingam, 1975			+				+	
29. species near <i>tenuis</i>			+				?	
<i>Topomyia</i> (Subgenus uncertain)								
30. <i>spathulirostris</i> Edwards, 1923	+	+					+	?
31. <i>yanbarensis</i> Miyagi, 1976	+						+	
<i>Tripteroides</i> (<i>Rachionotomyia</i>)								
32. <i>affinis</i> (Edwards, 1913)	+						+	
33. <i>aranoides</i> (Theobald, 1901)	+	+	+	+	+	+	+	
34. <i>serratus</i> (Barraud, 1929)	+						+	
35. <i>tenax</i> (De Meijere, 1910)			+				+	
36. unassociated species 1			+	+	+		-	
37. species 2 near <i>aranoides</i>	+						-	
<i>Tripteroides</i> (<i>Tripteroides</i>)								
38. <i>aeneus</i> (Edwards, 1921)	+						+	
39. <i>caeruleocephalus</i> (Leicester, 1908)	+						+	
40. <i>denticulatus</i> Delfinado and Hodges, 1968			+				+	
41. <i>hybridus</i> (Leicester, 1908)	+	+	+				+	
42. <i>indicus</i> (Barraud, 1929)	+						+	
43. <i>powelli</i> (Ludlow, 1909)	+						+	
44. <i>proximus</i> (Edwards, 1915)							+	
45. <i>similis</i> (Leicester, 1908)	+						+	
46. <i>tarsalis</i> Delfinado and Hodges, 1968	+	+	+	+	+	+	+	
<i>Toxorhynchites</i> (<i>Toxorhynchites</i>)								
47. <i>albipes</i> (Edwards, 1922)	+						+	
48. <i>amboinensis</i> (Doleschall, 1857)	+	+					+	+

Table 1 (continued).

SPECIES / SUBREGIONS	1	2	3	4	5	6	Oriental	Elsewhere
49. <i>bickleyi</i> Thurman, 1959	+						-	
50. <i>gravelyi</i> (Edwards, 1921)	+	+	+	+	+	+	+	
51. <i>leicesteri</i> Theobald, 1904	+	+	+	+	+		+	
52. <i>magnificus</i> (Leicester, 1908)		+	+				+	
53. <i>manopi</i> Thurman, 1959	+			+			-	
54. <i>splendens</i> (Wiedemann, 1819)	+	+	+	+	+	+	+	+
55. <i>sunthorni</i> Thurman, 1959	+						-	
56. species 1 near <i>gravelyi</i>					+	+	-	
57. species 2 near <i>manopi</i>	+						-	
58. species 3 near <i>magnificus</i>	+		+	+		+	-	
59. species 4 near <i>leicesteri</i>	+						-	

Table 2

Habitats where the immature stages of *Orthopodomyia*, *Kimia*, *Malaya*, *Topomyia*, *Tripteroides*, and *Toxorhynchites* have been found in Thailand.

	<i>Orthopodomyia</i>	<i>Kimia</i>	<i>Malaya</i>
Artificial container	+	+	
Hollow log			
Rock hole	+	+	
Treec hole	+	+	
Hole in stump / roots	+	+	+
Bamboo internode	+	+	+
Bamboo stump	+	+	+
Split bamboo	+		
Allocasia / Colocasia axils	+		+
Pandanus axils	+		+
Ginger plant			+
Pineapple axils			+
Pitcheer plant			+
Banana stump / axils			+
Nipa axils			+
Leaf axils			+
Fallen leaf			+
Coconut shell	+		
Coconut husk			

Topomyia (Suaymyia)									
<i>apsarae</i>									
<i>cristata</i>									
<i>houghtoni</i>									
<i>leucotarsis</i>									
<i>pseudoleucotarsis</i>									
species 1 near <i>houghtoni</i>									
species 2 near <i>houghtoni</i>									
species 3 near <i>pseudoleucotarsis</i>									
Topomyia (Subgenus uncertain)									
<i>spathulirostris</i>									
<i>yanbarensis</i>									
Topomyia (Topomyia)									
<i>aenea</i>									
<i>angkoris</i>									
<i>argyropalpis</i>									
<i>bifurcata</i>									
<i>gracilis</i>									
<i>inclinata</i>									
<i>lindsayi</i>									
<i>svastii</i>									
<i>tenuis</i>									
<i>tipuliformis</i>									
<i>unispinosa</i>									

Table 2 (continued).

	<i>vijayae</i>	species 4 near <i>tenuis</i>	<i>Tripterooides (Rachionotomyia)</i>	<i>Tripterooides (Tripterooides)</i>
Artificial container	+	+	affinis	aeneus
Hollow log			aranoides	caeruleocephalus
Rock hole			serratus	denticulatus
Tree hole	+	+	tenax	hybridus
Hole in stump / roots	+	+	unassociated species 1	
Bamboo intermediate	+	+	species 2 near <i>aranoides</i>	
Split bamboo				
Allocasia / Colocasia axils	+	+		
Pandanus axils				
Ginger plant	+			
Pineapple axils				
Pitcher plant				
Banana stump / axils				
Nipa axis				
Leaf axis	+			
Fallen leaf				
Coconut shell				
Coconut husk				

	<i>indicus</i>	<i>powelli</i>	<i>proximus</i>	<i>similis</i>	<i>tarsalis</i>	<i>Toxorhynchites (Toxorhynchites)</i>												
						<i>albipes</i>	<i>amboinensis</i>	<i>bickleysi</i>	<i>graveyi</i>	<i>leicesteri</i>	<i>magnificus</i>	<i>manopi</i>	<i>splendens</i>	<i>sunthorni</i>	species 1 near <i>graveyi</i>	species 2 near <i>magnificus</i>	species 3 near <i>manopi</i>	species 4 near <i>leicesteria</i>
+						+	+		+	+	+		+		+		+	
+							+		+	+	+		+					
+								+		+	+							
+									+	+	+							
+										+	+							
+											+							
+												+						
+													+					
x																		

x = doubtful records.